


CONTACT NEMS 聯絡東北: (415) 391-9686 (650) 550-3923 (408) 573-9686 WWW.NEMS.ORG



WHAT IS VAGINITIS?

Vaginitis is inflammation of the vagina. It is usually caused by some infection. The infection can be transmitted sexually or non-sexually.

RISK FACTORS

- Pregnancy
- Antibiotics and steroid medicine
- Not using a condom during sex
- Weakened immune system

WARNING SIGNS AND SYMPTOMS

The most common occurring symptoms for most types of vaginitis are:

- Itching, burning and irritation of the vagina
- Painful urination
- Painful intercourse
- Vaginal discharge

DIAGNOSIS

Vaginitis is usually diagnosed by the examination of vaginal fluids.

PREVENTIONS

- Do not douche
- Practice safe sex

請注意，此信息並不是用作診斷健康問題或用作取代專業醫護人員的意見。若您根據此信息作出任何決定，東北醫療中心不會就此承擔任何責任。

Please note that this information is not intended to diagnose health problems or to replace the advice of a health care professional.

North East Medical Services disclaims any liability for the decisions you make based on this information.



COMMON TYPES OF VAGINITIS

CANDIDA OR "YEAST" INFECTIONS

Candida is a type of yeast (fungus). When yeast overgrows in the vagina, it causes a yeast infection. The vagina can become red and itchy. This form of vaginitis can produce a thick, white discharge that looks like cottage cheese, varying from watery to thick liquid.

BACTERIAL VAGINOSIS (BV)

Bacterial vaginosis is caused by bacteria that do not usually grow in the vagina. The milky discharge caused by this infection often has a "fishy" smell that smells strongest after sex.

NON-INFECTIOUS VAGINITIS

Non-infectious vaginitis is usually caused by an allergic reaction or irritation to the vagina.

SEXUALLY TRANSMITTED DISEASES (STDs)

STDs such as trichomoniasis, gonorrhea, and chlamydia are other common causes of vaginitis. Diagnosis is usually done by: cell culture, urine or blood test. Symptoms may include inflammation and vaginal discomfort.

TREATMENTS

Please contact your health care provider for treatment options. Some treatment choices include anti-fungal medications, antibiotics, or stop using products that cause the irritation.


Source:

- National Institute of Allergy and Infectious Disease

COMMON TYPES OF VAGINITIS

常見的陰道炎

CONTACT NEMS 聯絡東北: (415) 391-9686 (650) 550-3923 (408) 573-9686 WWW.NEMS.ORG



甚麼是陰道炎？

陰道炎是陰道的炎症。它通常是由感染引起的，感染途徑可以是性傳播或非性傳播。

風險因素：

- 懷孕
- 抗生素和類固醇藥物
- 不使用避孕套進行性行為
- 免疫系統減弱

陰道炎的警告性症狀

大多數類型的陰道炎中最常見的症狀有：

- 陰道出現瘙癢，燒灼感和刺痛感
- 小便疼痛
- 性交時出現疼痛
- 陰道分泌物

診斷

陰道炎通常是通過檢查陰道分泌液來確診。

預防

- 不要灌洗陰道
- 進行安全的性行為

請注意，此信息並不是用作診斷健康問題或用作取代專業醫護人員的意見。若您根據此信息作出任何決定，東北醫療中心不會就此承擔任何責任。

Please note that this information is not intended to diagnose health problems or to replace the advice of a health care professional.

North East Medical Services disclaims any liability for the decisions you make based on this information.

陰道炎常見的類型

念珠菌感染

念珠菌是一種真菌。當真菌在陰道內中過度生長，它會導致真菌感染。陰道會變得又紅又癢。這種類型的陰道炎可產生濃稠的白色分泌物，看起來像奶酪，可以是像水一樣或粘稠液體。

細菌性陰道病

細菌性陰道病是由通常不會生長在陰道的細菌引起的。這種由感染引起的陰道炎也會產生白色分泌物，但白色分泌物會帶腥味，性愛後這種氣味更加強烈。

非感染性陰道炎

非感染性陰道炎通常是由過敏反應或陰道受到刺激而引起的。

性病

性病，如滴蟲病，淋病，衣原體感染是引起陰道炎的其他常見原因。性病的診斷是通過細胞培養，尿液或血液測試來確定的。性病的症狀包括炎症和陰道不適。

治療

請與您的醫生討論具體治療方案。一些治療方案選擇包括抗真菌的藥物，抗生素，或停止使用引起陰道刺激的產品。

資料來源：

- National Institute of Allergy and Infectious Disease